

JFW



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/789,964	02/27/2004	James A. Esler	300567

25764  
 FAEGRE & BENSON LLP  
 2200 WELLS FARGO CENTER  
 90 SOUTH 7TH STREET  
 MINNEAPOLIS, MN 55402



CONFIRMATION NO. 9180

## FORMALITIES LETTER



\*OC000000012781362\*

Date Mailed: 05/26/2004

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

***Filing Date Granted***

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:


- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 2.
  - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 8.

Replies should be mailed to: Mail Stop Missing Parts  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria VA 22313-1450

***A copy of this notice MUST be returned with the reply.***

Customer Service Center  
 Initial Patent Examination Division (703) 308-1202

**PART 2 - COPY TO BE RETURNED WITH RESPONSE**



PATENT  
Attorney Docket No. 300567

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: James E. ESLER et al.	Examiner: Not known
Application No.: 10/789,964	Art Unit: 3622
Filed: February 27, 2004	Confirmation No.: 9180
For: SYSTEMS AND METHODS FOR AUTOMATICALLY COLLECTING, FORMATTING, AND STORING MEDICAL DEVICE DATA IN A DATABASE	

Mail Stop Missing Parts Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450	CERTIFICATE OF MAILING  I CERTIFY THAT THIS CORRESPONDENCE IS BEING FACSIMILE TRANSMITTED TO THE USPTO OR DEPOSITED WITH THE U.S. POSTAL SERVICE WITH SUFFICIENT POSTAGE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450 ALEXANDRIA, VA 22313-1450.  <i>Cynthia M. Sullivan</i> 7-23-04 Signature Date
----------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Dear Sir:

In the Notice to File Corrected Application Papers dated May 26, 2004, replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 were requested. In response to the Notice to File Corrected Application Papers, Applicants are submitting thirteen (13) replacement drawing sheets which comply with the drawing requirements.

No fee is believed due for this submission. If any fees are due, the Office is hereby authorized to use our Deposit Account No. 06-0029.

Dated: 7/23/2004

Respectfully submitted,  
  
Chad S. Hilyard  
Registration No. 40,647  
Attorney for Applicant

Customer No. 42074  
FAEGRE & BENSON LLP  
3200 Wells Fargo Center  
1700 Lincoln Street  
Denver, CO 80203-4532  
Tel: (303) 607-3500  
Fax: (303) 607-3600